



## THE CORPORATION OF THE MUNICIPALITY OF LEAMINGTON

**POSITION:** Wastewater Laboratory Assistant (Student)

**DEPARTMENT:** Community Services - Pollution Control Centre

**HOURS:** Monday to Friday 35 hours per week

**EMPLOYMENT PERIOD:** May 7, 2012 - August 31, 2012

**RATE OF PAY:** \$13.50 (2012 Rates)

---

### **DUTIES:**

Reporting to the Laboratory Technician and working in an office environment as well as outside, responsibilities include:

- Lab analysis of wastewater for suspended solids, PH, Phosphates, BOD, Nitrates etc.
- Assist in completing paper work re analysis as requested.
- Other related duties as assigned by the Laboratory Technician.

### **REQUIREMENTS:**

- Basic lab skills with some knowledge of PH, Ammonia, Oxygen Meters and spectrophotometer;
- Must possess a valid Ontario G2 driver's license;
- Previous lab experience would be considered an asset;
- Knowledge of Microsoft Excel;
- Ability to work well with others;
- Must have excellent organizational and communication skills and be a good "team player"
- Must be able to lift 25 - 30 lbs;
- Must be able to work outside in all weather conditions;
- Must work a 35 hour workweek.

Resumes should detail a short description of skills and employment history background. Interested candidates are invited to submit a resume, in confidence, quoting file #PCC032812-01 by 4:00 p.m. Wednesday, March 28, 2012 by e-mail to: [efreitas@leamington.ca](mailto:efreitas@leamington.ca) Applicants will be subject to an interview process to determine eligibility.

**Contact information: Emily Freitas, Acting Human Resources Officer 519-326-5761 Ext. 1105**

*We thank all applicants. Only those selected for an interview will be contacted. Personal information is collected under the authority of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 2001, and will be used only for the purpose of determining eligibility for employment.  
The Corporation of the Municipality of Leamington is an Equal Opportunity Employer.*