

Design requirements:

Fresh, clean permanent seed mix per Table 1 of OPSS 572

.1 Standard Roadside Mix without Clover for *all areas*.

~~.2 Old Field Mix for easements adjacent to the pond~~

~~.3 Lowland Mix without Clover for drain/pond embankments~~

Nurse crop seed for seeding and mulching operations to be of best quality, free from disease, weed seeds or other foreign matter and of species indicated by following:

.1 Straw Mulch - Fall Wheat or Rye Grain.

.2 Hydraulic Mulches - Italian (Annual) Rye grass.

.3 Only seeds harvested in preceding season will be accepted.

.4 Fertilizer:

.1 Fertilizer for seeding and mulching shall be a standard 8-32-16 analysis in granular form.

.2 Fertilizer for landscaped areas shall be a standard 20-20-20 analysis in granular form.

.3 Transport to site in weatherproof bags showing weight, analysis and manufacturer's name.

.5 Erosion Control/Revegetation Blanket

Refer to SP30 - Erosion Control

.2 Execution

.1 Surface Preparation

.1 Rough grade to lines and levels indicated on Drawings.

.2 Fine grade areas to receive topsoil to uniform surface.

.3 Eliminate uneven areas and low spots, ensuring positive drainage. Do not fill depressions with topsoil.

.4 Remove debris, rocks, vegetation, stones and other coarse matter.